

L Number	Hits	Search Text	DB	Time stamp
1	0	4647975.pn. AND dark\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/19 12:52
2	1	4647975.pn. AND bright\$4	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/19 13:33
3	6	(two NEAR knee NEAR point\$2) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/19 14:36
5	2	4647975.pn.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/19 14:37
6	2	6535648.pn.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/19 14:37
7	2	5949482.pn.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/19 14:38
8	3	6141047.pn.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/19 14:38
9	2	6002796.pn.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/19 14:38
10	3	6515700.pn.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/19 14:38
-	50	348/222.1.ccls. AND (dynamic NEAR range) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/18 09:20
-	39	348/222.1.ccls. AND (dynamic NEAR range) AND (analog) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/16 13:38
-	6	348/222.1.ccls. AND (dynamic NEAR range) AND (knee) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/16 11:43
-	457	(dynamic NEAR range) AND (knee) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/16 11:44
-	15	(dynamic NEAR range) AND (knee) AND (linear NEAR gain) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/16 11:46

	140	(dynamic NEAR range) AND (knee) AND (video) AND(gain) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/12/16 11:46
	1	5768442.pn.	USPAT;	2003/12/16 13:13
	22	348/222.1.ccls. AND (look\$1up NEAR table\$2) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/16 13:41
	2	348/222.1.ccls. AND (look\$1up NEAR table\$2)AND (knee) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/16 13:44
	34	(matsushita) and (look\$1up NEAR table)AND (dynamic NEAR range)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/16 14:48
	1	5949482.pn. AND (dynamic)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/16 15:29
	61	(dual) NEAR (slope) NEAR (output)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/16 15:30
	55	(dual) NEAR (slope) NEAR (output) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/16 16:06
	193	(dual) NEAR (slope) NEAR (conver\$4) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/16 16:07
	86	348/222.1.ccls. AND (table) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/17 12:56
	0	348/222.1.ccls. AND (((dual) or (two) or (multiple)) NEAR (slope\$2)) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/17 12:00
	0	348/229.1.ccls. AND (((dual) or (two) or (multiple)) NEAR (slope\$2)) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/17 12:00
	0	348/230.1.ccls. AND (((dual) or (two) or (multiple)) NEAR (slope\$2)) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/17 12:00
	0	348/362.ccls. AND (((dual) or (two) or (multiple)) NEAR (slope\$2)) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/17 12:00
	0	348/363.ccls. AND (((dual) or (two) or (multiple)) NEAR (slope\$2)) AND (@ad<20000424)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/17 12:00

	0	348/364.cccls. AND (((dual) or (two) or (multiple)) NEAR (slope\$2)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:00
	1	348/227.1.cccls. AND (((dual) or (two) or (multiple)) NEAR (slope\$2)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:01
	0	348/221.1.cccls. AND (((dual) or (two) or (multiple)) NEAR (slope\$2)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:30
	6	382/274.cccls. AND (((dual) or (two) or (multiple)) NEAR (slope\$2)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:56
	1	382/276.cccls. AND (((dual) or (two) or (multiple)) NEAR (slope\$2)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:15
	3	382/276.cccls. AND (knee) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:17
	1	5768442.URPN.	USPAT	2003/12/17 12:17
	2	5949482.bn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:18
	3	5949482.URPN.	USPAT	2003/12/17 12:18
	21	348/222.1.cccls. AND ((look\$1up NEAR table)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:19
	1	6515700.bn. AND knee	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:20
	1	6515700.bn. AND knee AND gain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:20
	1	348/222.1.cccls. AND ((LUT) or (look\$1up NEAR table)) AND (knee) AND (gain) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 15:33
	7	348/229.1.cccls. AND ((LUT) or (look\$1up NEAR table)) AND (knee) AND (gain) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:36
	2	5768442.bn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:48
	484	348/222.1.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:48

-	220	348/229.1.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:49
-	113	348/230.1.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:49
-	255	348/362.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:49
-	179	348/363.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:49
-	198	348/364.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:49
-	86	348/227.1.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:49
-	73	348/221.1.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:49
-	643	382/274.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:50
-	491	382/276.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:50
-	43	382/276.cccls. AND (dynamic NEAR range)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:51
-	162	382/274.cccls. AND (dynamic NEAR range)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:51
-	34	382/276.cccls. AND (dynamic NEAR range) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:51
-	111	382/274.cccls. AND (dynamic NEAR range) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 16:51
-	18	348/222.1.cccls. AND ((digital) SAME (look\$1up NEAR table) OR LUT) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 09:24

	12	348/222.1.ccls. AND ((digital) SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:09
	4	348/222.1.ccls. AND (store SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:09
	0	348/222.1.ccls. AND (down\$1load SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:10
	0	348/229.1.ccls. AND (down\$1load SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:10
	0	348/230.1.ccls. AND (down\$1load SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:10
	0	348/362.ccls. AND (down\$1load SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:10
	0	348/363.ccls. AND (down\$1load SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:11
	0	348/364.ccls. AND (down\$1load SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:11
	0	348/227.1.ccls. AND (down\$1load SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:11
	0	348/221.1.ccls. AND (down\$1load SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:11
	0	382/274.1.ccls. AND (down\$1load SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:11
	2	382/274.ccls. AND (down\$1load SAME((look\$1up NEAR table) OR LUT)) AND (@ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 09:46
	3	6141047.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 10:13
	1	6141047.pn. AND gain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 10:16

-	151	toshikazu NEAR hori	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 10:18
-	31	yutaka NEAR hirono	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 10:19
-	3	raymond NEAR siu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 10:29
-	2	4647975.pn. AND dynamic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 12:52